STATE OF ILLINOIS

ILLINOIS COMMERCE COMMISSION

STIPULATED AGREEMENT SURVEY FORM

RR/Line	UP/SSWNAO	Milepost_	64.36	Inventory #	290 518F
City	Gardner	Street	Washington St.	County	Grundy
Jurisdiction	Local	Urban X	Rural	Commercial	Residential X
Street Surface	bituminous	'Width	23'	Condition	
Angl <u>e 45°</u>	Tracks Tang	ge <u>nt Y</u> Deg	gree of Curve	Superelev	ation
Depth of Cut _			Height of Fill_		
		Crossing	Surface		
	Elevation	Track	Type	Width	Condition
Centers		Main F	Full wood panel	44'	
Intersecting Ro	oads <100' C	enter St. is 47'W; 0 St. is 59'E		0' Liberty	
Traffic Contro	l Devices Present:	Stop sign at Cen	ter St.E; yield si	gn at Center St.W	
ADT	309	Speed		Statewide	Y
School Buses	possible	Hazardous	Materials possi	ble Otl	ner
Rail Traffic:	Ft. 4 @	60 mph	Pass. 6 @	79 mph	Switch
Simultaneous 1	Movements:		Daylight	and Dark:	Y
Present Protect	tion: AFLS&G				
Advance Warn	ning Signs	Yes	Pavement N	I arking	No


Visibility Study

Quad	Clearing Visibility	Obstruction		Stopping Visibility	Obstruction	
NE						
NW						
SE						<u> </u>
SW						
		<u>App</u>	roach Grad	e <u>s</u>		
East	25'	-0.80 %	50'	-2.00 %	4	%
West	25'	-1.60 %	50'	-2.40 %		%

[&]quot;+" grade is ascending from crossing

Comments: Flashers also facing north and south towards Center St.

[&]quot;-"grade is descending from crossing



STATE OF ILLINOIS

ILLINOIS COMMERCE COMMISSION

STIPULATED AGREEMENT SURVEY FORM

RR/Line	UP/SSWNAO	Milepost	64.07	Inventory	# <u>290 517Y</u>
City	Gardner	Street	Carbon Hill Ro	d. Coun <u>ty</u>	Grundy
Jurisdiction	Local	Urban	Rural <u>X</u>	Commercial	Residential
Street Surface	bituminous	Width	19	Condition	
Angl <u>e 45°</u>	Tracks Tangen	t Y De	egree of Curve_	Superelev	vation
Depth of Cut			Height of Fill_		
		Crossin	g Surface		
Track Centers	Elevation Tra	ack	Туре	Width	Condition
	Ma	ain	Full wood panel	39	
Intersecting R	00' <u>IL5</u>	3 is 170'S			
Traffic Contro	ol Devices Present: S	top sign at IL5	53		
	1050				
	possible				
Rail Traffic:	Ft. <u>4 @</u> 6	<u>0</u> mph	Pass. 6 @		Switch
Simultaneous	Movements:		Dayligh	nt and Dark:	Y
Present Protec	tion: AFLS &G				
Advance Warr	ning Signs	Yes	Pavement 1	Marking	No

Visibility Study

Quad	Clearing Visibility	Obst	Obstruction		Stopping Visibility		Obstruction	
NE								
NW								
SE								
SW								
			App:	roach Grad	<u>des</u>			
South	25'	-1.20	%	50'	-0.80	%		%
North	25'	-1.20	%	50'	-1.60	%		%

[&]quot;+" grade is ascending from crossing

Comments:

[&]quot;-" grade is descending from crossing

